L Number	Hits	Search Text	DB	Time stamp
1	6163	(customer or subscriber) and ((customer or sibscriber) adj (id or identifier or identification or number))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 13:50
2	15144	(customer or subscriber) and ((customer or sibscriber) adj4 (id or identifier or identification or number))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 13:24
3	405	((customer or subscriber) and ((customer or sibscriber) adj (id or identifier or identification or number))) and central adj2 (database or data-base or (data adj base) or repository)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 13:51
4	801	((customer or subscriber) and ((customer or sibscriber) adj4 (id or identifier or identification or number))) and central adj2 (database or data-base or (data adj base) or repository)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 13:24
5	492	(((customer or subscriber) and ((customer or sibscriber) adj4 (id or identifier or identification or number))) and central adj2 (database or data-base or (data adj base) or repository)) and (databases! or data-bases! or (data adj (bases! or sources!)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 13:26
6	2	((((customer or subscriber) and ((customer or sibscriber) adj4 (id or identifier or identification or number))) and central adj2 (database or data-base or (data adj base) or repository)) and (databases! or data-bases! or (data adj (bases! or sources!)))) and master adj3 index$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 13:26
7	224	((((customer or subscriber) and ((customer or sibscriber) adj4 (id or identifier or identification or number))) and central adj2 (database or data-base or (data adj base) or repository)) and (databases! or data-bases! or (data adj (bases! or sources!)))) and index$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 13:26
8	97	(((((customer or subscriber) and ((customer or sibscriber) adj4 (id or identifier or identification or number))) and central adj2 (database or data-base or (data adj base) or repository)) and (databases! or data-bases! or (data adj (bases! or sources!)))) and index$4) and (707/$.ccls. or 705/$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 13:55
9	9896	((customer or sibscriber) adj2 (id or identifier or identification or number))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 14:02
10	6662	central adj2 (database or data-base or (data adj base) or repository)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 13:51
11	15253	(plurality or number or multiple) adj2 (database or data-base or (data adj base) or repository or (data adj source))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 14:01
12	1210	(central adj2 (database or data-base or (data adj base) or repository)) and ((plurality or number or multiple) adj2 (database or data-base or (data adj base) or repository or (data adj source)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 13:53
13	0	((central adj2 (database or data-base or (data adj base) or repository)) and ((plurality or number or multiple) adj2 (database or data-base or (data adj base) or repository or (data adj source)))) and (master near customer) adj (database)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 13:54

14	0	((central adj2 (database or data-base or (data adj base) or repository)) and ((plurality or number or multiple) adj2 (database or data-base or (data adj base) or repository or (data adj source)))) and (master near customer) adj2 (database)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 13:54
15	1	((central adj2 (database or data-base or (data adj base) or repository)) and ((plurality or number or multiple) adj2 (database or data-base or (data adj base) or repository or (data adj source)))) and (master near customer) adj2 (database or index$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 13:55
16	1	((central adj2 (database or data-base or (data adj base) or repository)) and ((plurality or number or multiple) adj2 (database or data-base or (data adj base) or repository or (data adj source)))) and (master near customer) adj4(database or index$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 13:55
17	1	((central adj2 (database or data-base or (data adj base) or repository)) and ((plurality or number or multiple) adj2 (database or data-base or (data adj base) or repository or (data adj source)))) and (master near customer) adj4 (database or index$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 13:55
18	156	((central adj2 (database or data-base or (data adj base) or repository)) and ((plurality or number or multiple) adj2 (database or data-base or (data adj base) or repository or (data adj source)))) and (master) adj4 (database or index$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 14:03
19	63	((((central adj2 (database or data-base or (data adj base) or repository)) and ((plurality or number or multiple) adj2 (database or data-base or (data adj base) or repository or (data adj source)))) and (master) adj4 (database or index$4)) and (707/$.ccls. or 705/$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 14:03
20	25	(((customer or sibscriber) adj2 (id or identifier or identification or number))) and (((((central adj2 (database or data-base or (data adj base) or repository)) and ((plurality or number or multiple) adj2 (database or data-base or (data adj base) or repository or (data adj source)))) and (master) adj4 (database or index$4)) and (707/$.ccls. or 705/$.ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 13:56
21	8959	(plurality or number or multiple) adj (database or data-base or (data adj base) or repository or (data adj source))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 14:13
22	384	((plurality or number or multiple) adj (database or data-base or (data adj base) or repository or (data adj source))) and customer adj (database or data-base or (data adj base) or repository or (data adj source))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 14:01
23	162	(((plurality or number or multiple) adj (database or data-base or (data adj base) or repository or (data adj source))) and customer adj (database or data-base or (data adj base) or repository or (data adj source))) and customer adj (id or identifier or identification)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 14:07
24	49	((((plurality or number or multiple) adj (database or data-base or (data adj base) or repository or (data adj source))) and customer adj (database or data-base or (data adj base) or repository or (data adj source))) and customer adj (id or identifier or identification)) and (master) adj2 (database or index$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 14:06
25	21	(((((plurality or number or multiple) adj (database or data-base or (data adj base) or repository or (data adj source))) and customer adj (database or data-base or (data adj base) or repository or (data adj source))) and customer adj (id or identifier or identification)) and (master) adj2 (database or index$4)) and (707/$.ccls. or 705/$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 14:10

26	13	((((((plurality or number or multiple) adj (database or data-base or (data adj base) or repository or (data adj source))) and customer adj (database or data-base or (data adj base) or repository or (data adj source))) and customer adj (id or identifier or identification)) and (master) adj2 (database or index$4)) and (707/$.ccls. or 705/$.ccls.)) and (customer adj2 (address and name))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 14:08
27	10	(((((((plurality or number or multiple) adj (database or data-base or (data adj base) or repository or (data adj source))) and customer adj (database or data-base or (data adj base) or repository or (data adj source))) and customer adj (id or identifier or identification)) and (master) adj2 (database or index$4)) and (707/$.ccls. or 705/$.ccls.)) and (customer adj2 (address and name))) and (master) adj2 (database or stor$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 14:07
28	359	((plurality or number or multiple) adj (database or data-base or (data adj base) or repository or (data adj source))) and (master) adj2 (database or stor$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 14:09
29	85	(((plurality or number or multiple) adj (database or data-base or (data adj base) or repository or (data adj source))) and (master) adj2 (database or stor$4)) and customer adj (id or identifier or identification)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 14:09
30	43	((((plurality or number or multiple) adj (database or data-base or (data adj base) or repository or (data adj source))) and (master) adj2 (database or stor$4)) and customer adj (id or identifier or identification)) and (customer adj2 (address and name))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 14:10
31	1170	((plurality or number or multiple) adj (database or data-base or (data adj base) or repository or (data adj source))) and (master or central$4) adj2 (database or repository)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 14:09
32	961	((plurality or number or multiple) adj (database or data-base or (data adj base) or repository or (data adj source))) and (master or central$4) adj (database or repository)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 14:09
33	107	(((plurality or number or multiple) adj (database or data-base or (data adj base) or repository or (data adj source))) and (master or central$4) adj (database or repository)) and customer adj (id or identifier or identification)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 14:09
34	43	((((plurality or number or multiple) adj (database or data-base or (data adj base) or repository or (data adj source))) and (master or central$4) adj (database or repository)) and customer adj (id or identifier or identification)) and (customer adj2 (address and name))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 14:10
35	18	(((((plurality or number or multiple) adj (database or data-base or (data adj base) or repository or (data adj source))) and (master or central$4) adj (database or repository)) and customer adj (id or identifier or identification)) and (customer adj2 (address and name))) and (707/$.ccls. or 705/$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 14:10
36	18	((((((plurality or number or multiple) adj (database or data-base or (data adj base) or repository or (data adj source))) and (master or central$4) adj (database or repository)) and customer adj (id or identifier or identification)) and (customer adj2 (address and name))) and (707/$.ccls. or 705/$.ccls.)) and (plurality or number or multiple) adj (database or data-base or (data adj base) or repository or (data adj source))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 14:13

| 37 | 14 | ((((((plurality or number or multiple) adj (database or data-base or (data adj base) or repository or (data adj source))) and (master or central$4) adj (database or repository)) and customer adj (id or identifier or identification)) and (customer adj2 (address and name))) and (707/$.ccls. or 705/$.ccls.)) and (plurality or multiple) adj (database or data-base or (data adj base) or repository or (data adj source)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/03 14:13 |

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	6163	(customer or subscriber) and ((customer or sibscriber) adj (id or identifier or identification or number))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/11/03 13:50
2	BRS	L2	15144	(customer or subscriber) and ((customer or sibscriber) adj4 (id or identifier or identification or number))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/11/03 13:24
3	BRS	L3	405	1 and central adj2 (database or data-base or (data adj base) or repository)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/11/03 13:51
4	BRS	L4	801	2 and central adj2 (database or data-base or (data adj base) or repository)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/11/03 13:24
5	BRS	L5	492	4 and (databases! or data-bases! or (data adj (bases! or sources!)))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/11/03 13:26

	Type	L #	Hits	Search Text	DBs	Time Stamp
6	BRS	L6	2	5 and master adj3 index$4	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/11/03 13:26
7	BRS	L7	224	5 and index$4	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/11/03 13:26
8	BRS	L8	97	7 and (707/$.ccls. or 705/$.ccls.)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/11/03 13:55
9	BRS	L9	9896	((customer or sibscriber) adj2 (id or identifier or identification or number))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/11/03 14:02
10	BRS	L10	6662	central adj2 (database or data-base or (data adj base) or repository)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/11/03 13:51

	Type	L #	Hits	Search Text	DBs	Time Stamp
11	BRS	L11	15253	(plurality or number or multiple) adj2 (database or data-base or (data adj base) or repository or (data adj source))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/11/03 14:01
12	BRS	L12	1210	10 and 11	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/11/03 13:53
13	BRS	L13	0	12 and (master near customer) adj (database)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/11/03 13:54
14	BRS	L14	0	12 and (master near customer) adj2 (database)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/11/03 13:54
15	BRS	L15	1	12 and (master near customer) adj2 (database or index$4)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/11/03 13:55

	Type	L #	Hits	Search Text	DBs	Time Stamp
16	BRS	L16	1	12 and (master near customer) adj4(database or index$4)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/11/03 13:55
17	BRS	L17	1	12 and (master near customer) adj4 (database or index$4)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/11/03 13:55
18	BRS	L18	156	12 and (master) adj4 (database or index$4)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/11/03 14:03
19	BRS	L19	63	18 and (707/$.ccls. or 705/$.ccls.)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/11/03 14:03
20	BRS	L20	25	9 and 19	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/11/03 13:56

	Type	L #	Hits	Search Text	DBs	Time Stamp
21	BRS	L21	8959	(plurality or number or multiple) adj (database or data-base or (data adj base) or repository or (data adj source))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/11/03 14:13
22	BRS	L22	384	21 and customer adj (database or data-base or (data adj base) or repository or (data adj source))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/11/03 14:01
23	BRS	L23	162	22 and customer adj (id or identifier or identification)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/11/03 14:07
24	BRS	L24	49	23 and (master) adj2 (database or index$4)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/11/03 14:06
25	BRS	L25	21	24 and (707/$.ccls. or 705/$.ccls.)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/11/03 14:10

	Type	L #	Hits	Search Text	DBs	Time Stamp
26	BRS	L26	13	25 and (customer adj2 (address and name))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/11/03 14:08
27	BRS	L27	10	26 and (master) adj2 (database or stor$4)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/11/03 14:07
28	BRS	L28	359	21 and (master) adj2 (database or stor$4)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/11/03 14:09
29	BRS	L29	85	28 and customer adj (id or identifier or identification)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/11/03 14:09
30	BRS	L30	43	29 and (customer adj2 (address and name))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/11/03 14:10

	Type	L #	Hits	Search Text	DBs	Time Stamp
31	BRS	L31	1170	21 and (master or central$4) adj2 (database or repository)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/11/03 14:09
32	BRS	L32	961	21 and (master or central$4) adj (database or repository)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/11/03 14:09
33	BRS	L33	107	32 and customer adj (id or identifier or identification)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/11/03 14:09
34	BRS	L34	43	33 and (customer adj2 (address and name))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/11/03 14:10
35	BRS	L35	18	34 and (707/$.ccls. or 705/$.ccls.)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/11/03 14:10

	Type	L #	Hits	Search Text	DBs	Time Stamp
36	BRS	L36	18	35 and (plurality or number or multiple) adj (database or data-base or (data adj base) or repository or (data adj source))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/11/03 14:13
37	BRS	L37	14	35 and (plurality or multiple) adj (database or data-base or (data adj base) or repository or (data adj source))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/11/03 14:13

L Number	Hits	Search Text	DB	Time stamp
1	6163	(customer or subscriber) and ((customer or sibscriber) adj (id or identifier or identification or number))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 13:50
2	15144	(customer or subscriber) and ((customer or sibscriber) adj4 (id or identifier or identification or number))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 13:24
3	405	((customer or subscriber) and ((customer or sibscriber) adj (id or identifier or identification or number))) and central adj2 (database or data-base or (data adj base) or repository)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 13:51
4	801	((customer or subscriber) and ((customer or sibscriber) adj4 (id or identifier or identification or number))) and central adj2 (database or data-base or (data adj base) or repository)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 13:24
5	492	(((customer or subscriber) and ((customer or sibscriber) adj4 (id or identifier or identification or number))) and central adj2 (database or data-base or (data adj base) or repository)) and (databases! or data-bases! or (data adj (bases! or sources!)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 13:26
6	2	((((customer or subscriber) and ((customer or sibscriber) adj4 (id or identifier or identification or number))) and central adj2 (database or data-base or (data adj base) or repository)) and (databases! or data-bases! or (data adj (bases! or sources!)))) and master adj3 index$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 13:26
7	224	((((customer or subscriber) and ((customer or sibscriber) adj4 (id or identifier or identification or number))) and central adj2 (database or data-base or (data adj base) or repository)) and (databases! or data-bases! or (data adj (bases! or sources!)))) and index$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 13:26
8	97	(((((customer or subscriber) and ((customer or sibscriber) adj4 (id or identifier or identification or number))) and central adj2 (database or data-base or (data adj base) or repository)) and (databases! or data-bases! or (data adj (bases! or sources!)))) and index$4) and (707/$.ccls. or 705/$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 13:55
9	9896	((customer or sibscriber) adj2 (id or identifier or identification or number))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 14:02
10	6662	central adj2 (database or data-base or (data adj base) or repository)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 13:51
11	15253	(plurality or number or multiple) adj2 (database or data-base or (data adj base) or repository or (data adj source))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 14:01
12	1210	(central adj2 (database or data-base or (data adj base) or repository)) and ((plurality or number or multiple) adj2 (database or data-base or (data adj base) or repository or (data adj source)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 13:53
13	0	((central adj2 (database or data-base or (data adj base) or repository)) and ((plurality or number or multiple) adj2 (database or data-base or (data adj base) or repository or (data adj source)))) and (master near customer) adj (database)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 13:54

14	0	((central adj2 (database or data-base or (data adj base) or repository)) and ((plurality or number or multiple) adj2 (database or data-base or (data adj base) or repository or (data adj source)))) and (master near customer) adj2 (database)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 13:54
15	1	((central adj2 (database or data-base or (data adj base) or repository)) and ((plurality or number or multiple) adj2 (database or data-base or (data adj base) or repository or (data adj source)))) and (master near customer) adj2 (database or index$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 13:55
16	1	((central adj2 (database or data-base or (data adj base) or repository)) and ((plurality or number or multiple) adj2 (database or data-base or (data adj base) or repository or (data adj source)))) and (master near customer) adj4(database or index$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 13:55
17	1	((central adj2 (database or data-base or (data adj base) or repository)) and ((plurality or number or multiple) adj2 (database or data-base or (data adj base) or repository or (data adj source)))) and (master near customer) adj4 (database or index$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 13:55
18	156	((central adj2 (database or data-base or (data adj base) or repository)) and ((plurality or number or multiple) adj2 (database or data-base or (data adj base) or repository or (data adj source)))) and (master) adj4 (database or index$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 14:03
19	63	(((central adj2 (database or data-base or (data adj base) or repository)) and ((plurality or number or multiple) adj2 (database or data-base or (data adj base) or repository or (data adj source)))) and (master) adj4 (database or index$4)) and (707/$.ccls. or 705/$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 14:19
20	25	(((customer or sibscriber) adj2 (id or identifier or identification or number))) and ((((central adj2 (database or data-base or (data adj base) or repository)) and ((plurality or number or multiple) adj2 (database or data-base or (data adj base) or repository or (data adj source)))) and (master) adj4 (database or index$4)) and (707/$.ccls. or 705/$.ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 13:56
21	8959	(plurality or number or multiple) adj (database or data-base or (data adj base) or repository or (data adj source))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 14:18
22	384	((plurality or number or multiple) adj (database or data-base or (data adj base) or repository or (data adj source))) and customer adj (database or data-base or (data adj base) or repository or (data adj source))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 14:01
23	162	(((plurality or number or multiple) adj (database or data-base or (data adj base) or repository or (data adj source))) and customer adj (database or data-base or (data adj base) or repository or (data adj source))) and customer adj (id or identifier or identification)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 14:07
24	49	((((plurality or number or multiple) adj (database or data-base or (data adj base) or repository or (data adj source))) and customer adj (database or data-base or (data adj base) or repository or (data adj source))) and customer adj (id or identifier or identification)) and (master) adj2 (database or index$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 14:06
25	21	(((((plurality or number or multiple) adj (database or data-base or (data adj base) or repository or (data adj source))) and customer adj (database or data-base or (data adj base) or repository or (data adj source))) and customer adj (id or identifier or identification)) and (master) adj2 (database or index$4)) and (707/$.ccls. or 705/$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 14:10

26	13	((((((plurality or number or multiple) adj (database or data-base or (data adj base) or repository or (data adj source))) and customer adj (database or data-base or (data adj base) or repository or (data adj source))) and customer adj (id or identifier or identification)) and (master) adj2 (database or index$4)) and (707/$.ccls. or 705/$.ccls.)) and (customer adj2 (address and name))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 14:20
27	10	(((((((plurality or number or multiple) adj (database or data-base or (data adj base) or repository or (data adj source))) and customer adj (database or data-base or (data adj base) or repository or (data adj source))) and customer adj (id or identifier or identification)) and (master) adj2 (database or index$4)) and (707/$.ccls. or 705/$.ccls.)) and (customer adj2 (address and name))) and (master) adj2 (database or stor$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 14:21
28	359	((plurality or number or multiple) adj (database or data-base or (data adj base) or repository or (data adj source))) and (master) adj2 (database or stor$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 14:09
29	85	(((plurality or number or multiple) adj (database or data-base or (data adj base) or repository or (data adj source))) and (master) adj2 (database or stor$4)) and customer adj (id or identifier or identification)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 14:09
30	43	((((plurality or number or multiple) adj (database or data-base or (data adj base) or repository or (data adj source))) and (master) adj2 (database or stor$4)) and customer adj (id or identifier or identification)) and (customer adj2 (address and name))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 14:10
31	1170	((plurality or number or multiple) adj (database or data-base or (data adj base) or repository or (data adj source))) and (master or central$4) adj2 (database or repository)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 14:09
32	961	((plurality or number or multiple) adj (database or data-base or (data adj base) or repository or (data adj source))) and (master or central$4) adj (database or repository)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 14:09
33	107	(((plurality or number or multiple) adj (database or data-base or (data adj base) or repository or (data adj source))) and (master or central$4) adj (database or repository)) and customer adj (id or identifier or identification)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 14:19
34	43	((((plurality or number or multiple) adj (database or data-base or (data adj base) or repository or (data adj source))) and (master or central$4) adj (database or repository)) and customer adj (id or identifier or identification)) and (customer adj2 (address and name))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 14:10
35	18	(((((plurality or number or multiple) adj (database or data-base or (data adj base) or repository or (data adj source))) and (master or central$4) adj (database or repository)) and customer adj (id or identifier or identification)) and (customer adj2 (address and name))) and (707/$.ccls. or 705/$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 14:10
36	18	((((((plurality or number or multiple) adj (database or data-base or (data adj base) or repository or (data adj source))) and (master or central$4) adj (database or repository)) and customer adj (id or identifier or identification)) and (customer adj2 (address and name))) and (707/$.ccls. or 705/$.ccls.)) and (plurality or number or multiple) adj (database or data-base or (data adj base) or repository or (data adj source))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 14:13

37	14	((((((plurality or number or multiple) adj (database or data-base or (data adj base) or repository or (data adj source))) and (master or central$4) adj (database or repository)) and customer adj (id or identifier or identification)) and (customer adj2 (address and name))) and (707/$.ccls. or 705/$.ccls.)) and (plurality or multiple) adj (database or data-base or (data adj base) or repository or (data adj source))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 14:13
38	8678	(plurality or number or multiple) adj (database or data-base or (data adj base) or (data adj source))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 14:30
39	3167	((plurality or number or multiple) adj (database or data-base or (data adj base) or (data adj source))) and (707/$.ccls. or 705/$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 14:19
40	821	(((plurality or number or multiple) adj (database or data-base or (data adj base) or (data adj source))) and (707/$.ccls. or 705/$.ccls.)) and (customer or unique) adj (id or identifier or identification)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 14:31
41	90	((((plurality or number or multiple) adj (database or data-base or (data adj base) or (data adj source))) and (707/$.ccls. or 705/$.ccls.)) and (customer or unique) adj (id or identifier or identification)) and (customer adj2 (address and name))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 14:33
42	23	(((((plurality or number or multiple) adj (database or data-base or (data adj base) or (data adj source))) and (707/$.ccls. or 705/$.ccls.)) and (customer or unique) adj (id or identifier or identification)) and (customer adj2 (address and name))) and (centraol or master) adj2 (database or stor$4 or repository)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 14:21
43	38	(((((plurality or number or multiple) adj (database or data-base or (data adj base) or (data adj source))) and (707/$.ccls. or 705/$.ccls.)) and (customer or unique) adj (id or identifier or identification)) and (customer adj2 (address and name))) and (central$4 or master) adj2 (database or stor$4 or repository)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 14:24
44	28	(((((plurality or number or multiple) adj (database or data-base or (data adj base) or (data adj source))) and (707/$.ccls. or 705/$.ccls.)) and (customer or unique) adj (id or identifier or identification)) and (customer adj2 (address and name))) and (central$4 or master) adj2 (database or repository)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 14:31
45	1566	(plurality or number or multiple) adj (database or data-base or (data adj base) or (data adj source)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 14:31
46	1566	((plurality or number or multiple) adj (database or data-base or (data adj base) or (data adj source))).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 14:32
47	14	(((plurality or number or multiple) adj (database or data-base or (data adj base) or (data adj source))).ab.) and ((central$4 or master) adj2 (database or repository)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 14:32
48	4	((((plurality or number or multiple) adj (database or data-base or (data adj base) or (data adj source))).ab.) and ((central$4 or master) adj2 (database or repository)).ab.) and (customer or unique) adj (id or identifier or identification)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 14:33
49	8678	((plurality or number or multiple) adj (database or data-base or (data adj base) or (data adj source)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 14:32

50	161	(((plurality or number or multiple) adj (database or data-base or (data adj base) or (data adj source)))) same ((central$4 or master) adj2 (database or repository))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 14:32
51	46	((((plurality or number or multiple) adj (database or data-base or (data adj base) or (data adj source)))) same ((central$4 or master) adj2 (database or repository))) and (customer or unique) adj (id or identifier or identification)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 14:33
52	5	(((((plurality or number or multiple) adj (database or data-base or (data adj base) or (data adj source)))) same ((central$4 or master) adj2 (database or repository))) and (customer or unique) adj (id or identifier or identification)) and (customer adj2 (address and name))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 14:33
-	2	index-data.ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 10:37
-	1	index-data.ti. and (callback$3 or call-back$3 or (call$3 adj2 back$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 10:40
-	1	(index-data.ti. and (callback$3 or call-back$3 or (call$3 adj2 back$3))) and (data adj manager) and (index$3 near4 fetch$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 10:41
-	1	((index-data.ti. and (callback$3 or call-back$3 or (call$3 adj2 back$3))) and (data adj manager) and (index$3 near4 fetch$3)) and (index$3 adj manager) and ((row and data) adj (identifier or ID or identification)) and (rowid or row-id or rid)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 10:46
-	1	index-data.ti. and carry adj3 out	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 10:46